

SIZE :1220MM x 2440 MM (4' X 8')

Loading :12 bundles / Container (40')

: 8 bundles / Container (20')

Thickness (mm)	Size (mm)		Pieces per bundle	Weight calculation per bundle (kg) as	
	Width	Length	Standardize	Density	Weight
2.5	1220	2440	355	820	2166
2.7	1220	2440	330	820	2175
3.0	1220	2440	300	820	2197
3.2	1220	2440	281	820	2195
3.6	1220	2440	250	810	2170
4.0	1220	2440	225	800	2143
4.5	1220	2440	200	780	2090
4.8	1220	2440	189	780	2090
5.0	1220	2440	180	770	2063
5.5	1220	2440	164	760	2036
5.8	1220	2440	155	760	2036
6.0	1220	2440	150	760	2036
7.0	1220	2440	129	760	2036
7.5	1220	2440	120	760	2036
8.0	1220	2440	113	750	2009
9.0	1220	2440	100	750	2009
9.5	1220	2440	95	750	2009
10.0	1220	2440	90	730	1956
10.3	1220	2440	87	730	1956
10.5	1220	2440	86	730	1956
11.0	1220	2440	82	730	1956
11.3	1220	2440	80	730	1956
11.5	1220	2440	78	730	1956
12.0	1220	2440	75	720	1929
13.0	1220	2440	69	720	1929
14.0	1220	2440	64	720	1929
14.5	1220	2440	62	720	1929
15.0	1220	2440	60	720	1929
15.5	1220	2440	58	720	1929
16.0	1220	2440	56	720	1929
17.0	1220	2440	53	720	1929
17.3	1220	2440	52	720	1929
17.5	1220	2440	51	720	1929
18.0	1220	2440	50	720	1929
19.0	1220	2440	47	710	1902
20.0	1220	2440	45	690	1849
21.0	1220	2440	43	690	1849
22.0	1220	2440	41	680	1822
24.0	1220	2440	38	680	1822
25.0	1220	2440	36	680	1822
30.0	1220	2440	30	660	1768
32.0	1220	2440	28	660	1768
32.8	1220	2440	27	660	1768

SIZE :1830MM x 2440 MM (6' X 8')

Loading :12 bundles / Container (40')

: 6 bundles / Container (20')

Thickness (mm)	Size (mm)		Pieces per bundle	Weight calculation per bundle (kg) as	
	Width	Length	Standardize	Density	Weight
2.5	1830	2440	240	820	2197
2.7	1830	2440	222	820	2195
3.0	1830	2440	200	820	2197
3.5	1830	2440	171	820	2191
3.6	1830	2440	166	810	2161
4.0	1830	2440	150	800	2143
4.5	1830	2440		780	0
4.75	1830	2440	126	780	2084
5.0	1830	2440	125	770	2149
5.5	1830	2440	109	760	2034
5.8	1830	2440		760	0
6.0	1830	2440	100	760	2036
7.0	1830	2440	85	760	2019
7.5	1830	2440		760	0
8.0	1830	2440	75	750	2009
9.0	1830	2440	67	750	2019
9.5	1830	2440		750	0
10	1830	2440	63	730	2054
10.3	1830	2440	61	730	2048
10.5	1830	2440		730	0
11	1830	2440	57	730	2044
11.3	1830	2440		730	0
11.5	1830	2440	54	730	2024
12	1830	2440	55	720	2122
13	1830	2440	46	720	1923
14	1830	2440	45	720	2025
14.5	1830	2440	43	720	2005
15	1830	2440	40	720	1929
15.5	1830	2440	40	720	1993
16	1830	2440	36	720	1852
16.5	1830	2449	38	720	2023
17	1830	2440	35	720	1913
17.3	1830	2440		720	0
17.5	1830	2440	35	720	1969
18	1830	2440	33	720	1910
19	1830	2440	31	710	1867
20	1830	2440	30	690	1849
21	1830	2440	28	690	1812
22	1830	2440	27	680	1804
24	1830	2440	25	680	1822
25	1830	2440	24	680	1822
30	1830	2440	20	660	1768
32	1830	2440	18	660	1697
32.8	1830	2440	18	660	1740

SIZE :1830MM x 3660 MM (6' X 12')

Loading :

Thickness (mm)	Size (mm)		Pieces per bundle	Weight calculation per bundle (kg) as	
	Width	Length	Standardize	Density	Weight
7.5	1830	3660	53	760	2023
9.5	1830	3660	42	750	2004
11.5	1830	3660	35	730	1968
12	1830	3660	33	720	1910
16	1830	3660	25	720	1929
17	1830	3660	24	720	1968
17.5	1830	3660	23	720	1941
18	1830	3660	22	720	1910
21	1830	3660	19	690	1844
22	1830	3660	18	680	1804
24	1830	3660	17	680	1858
25	1830	3660	16	680	1822
30	1830	3660	13	660	1724