

Certificate No. HK/EPA/2017/08/3001

SGS

The Manufacturer

VRG Dongwha MDF Joint Stock Company

Lot G, Minh Hung 3 Industrial Park, Minh Hung Commune
Chon Thanh District, Binh Phuoc Province, Vietnam



for manufacturing of Thin Medium Density Fiberboard 2.3mm, 2.5mm, 2.7mm, 3mm, 3.5mm
3.6mm, 4mm, 4.5mm, 4.75mm, 4.8mm, 5mm, 5.2mm, 5.5mm, 5.8mm, 6mm, 6.4mm, 8mm
Medium Density Fiberboard 9mm, 11mm, 12mm, 14mm, 15mm, 17mm,
18mm, 19mm, 21mm, 24mm, 25mm
has been certified by SGS Hong Kong Ltd. (CARB TPC-14) as meeting section
40 CFR 770.15, Title VI, Toxic Substances Control Act.



The Manufacturer demonstrates production of composite wood products complying with section
40 CFR 770.10 for Thin Medium Density Fiberboard 2.3mm, 2.5mm, 2.7mm, 3mm, 3.5mm
3.6mm, 4mm, 4.5mm, 4.75mm, 4.8mm, 5mm, 5.2mm, 5.5mm, 5.8mm, 6mm, 6.4mm, 8mm
Medium Density Fiberboard 9mm, 11mm, 12mm, 14mm, 15mm, 17mm,
18mm, 19mm, 21mm, 24mm, 25mm,
Title VI, Toxic Substances Control Act.

This certificate is for the composite wood products manufactured at the production
facility stated above. The production facility meets the quality
assurance requirements stated in section 40 CFR 770.20-22, 40 CFR 770.24,
40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substances Control Act

This certificate is valid only if subsequent verification is conducted and the
manufacturer continues to meet the requirements stated in sections,
40 CFR 770.20-22, 40 CFR 770.24, 40 CFR 770.40 and
40 CFR 770.45, Title VI, Toxic Substances Control Act

This manufacturer has been certified since 3 November 2015 (CARB)
This certificate (Issue 6) is issued on 1 November 2019 (EPA)
and valid until 3 November 2021

Authorised by

Chan Chi Keung, Ivan
Certifier
Product Certification Team

SGS Hong Kong Ltd.

Office: : Units 303 & 305, 3/F, Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong
Laboratory: 1/F., 3/F., 4/F. & 5/F. On Wui Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong
t +(852) 2334 4481 f +(852) 2646 0026 www.sgsgroup.com.hk

Page 1 of 1

EPA_cert template v5 (2019-09)

